

Primer	5' to 3' Sequence	Product Size (bp)	Annealing Temp (°C)	Reference
DWV-F	TTCATTAAAGCCACCTGGAACATC	136	53	Traynor et al., 2016
DWV-R	TTTCCTCATTA ACTGTGTCGTTGA			
BQCV-F	TTTAGAGCGAATTCGGAAACA	140	51	Traynor et al., 2016
BQCV-R	GGCGTACCGATAAAGATGGA			
IAPV-F	CCATGCCTGGCGATTCAC	203	47	Traynor et al., 2016
IAPV-R	CTGAATAATACTGTGCGTATC			
Actin-F	CGTGCCGATAGTATTCTTGC	138	56	
Actin-R	CCATTGTCAACTACGAGTGC			