

SPECIES	WS	WP	Diur	Dom	pS	pI	pLF	FSI	FSG	FSC	CS	nQ	nN	CFT
Formicinae														
<i>Camponotus aethiops</i>	7.50	0.67	0	1	0	0.25	0.75	0	1	0	7.47	0	0	1
<i>Camponotus amaurus</i>	6.10	0.69	1	0	0	0	1	0	1	0	5.99	0	1	1
<i>Camponotus cruentatus</i>	10.00	0.80	0	1	0	0.25	0.75	0	1	0	8.52	0	0	1
<i>Camponotus gestroi</i>	6.10	0.59	0	0	0	0	1	0	1	0	6.21	0	0	1
<i>Camponotus fallax</i>	6.90	0.41	0	0	0	0	1	0	1	0	6.21	0	0	1
<i>Camponotus figaro</i>	3.90	0.44	1	0	0	0	1	0	1	0	6.21	0	0	1
<i>Camponotus foreli</i>	6.10	0.69	1	0	0	0	1	0	1	0	5.99	0	1	1
<i>Camponotus herculeanus</i>	10.80	0.69	0	1	0	0.25	0.75	0	1	0	8.52	0.5	0	1
<i>Camponotus lateralis</i>	5.00	0.40	1	0	0	0	1	0	1	0	6.91	0	0	1
<i>Camponotus ligniperdus</i>	9.00	0.67	0	1	0	0.25	0.75	0	1	0	7.82	0.5	0	1
<i>Camponotus micans</i>	8.50	1.29	0		0	0	1	0	1	0	6.91	0	0	1
<i>Camponotus piceus</i>	3.90	0.44	1	0	0	0	1	0	1	0	6.21	0	0	1
<i>Camponotus pilicornis</i>	8.50	0.82	0	1	0	0	1	0	1	0	6.91	0	0	1
<i>Camponotus sylvaticus</i>	8.00	0.75	0	1	0	0	1	0	1	0	6.91	0	0	1
<i>Camponotus truncatus</i>	4.50	0.67	0	0	0	0	1	1	0	0	5.70	0	0	1
<i>Camponotus vagus</i>	9.40	0.68	0	1	0	0.25	0.75	0	1	0	7.82	1	0	1
<i>Cataglyphis aenescens</i>	5.55	0.88	1	0	0	1	0	1	0	0	6.91	0	0	1
<i>Cataglyphis cursor</i>	6.70	0.61	1	0	0	1	0	1	0	0	6.62	0	0	0
<i>Cataglyphis floricola</i>	6.00	0.22	1	0	0	1	0	1	0	0	5.52	0	0	0
<i>Cataglyphis hispanica</i>	8.50	0.93	1	0	0	1	0	1	0	0	6.62	0	0	0
<i>Cataglyphis iberica</i>	6.00	0.50	1	0	0	1	0	1	0	0	6.48	0	1	1
<i>Cataglyphis rosenhaueri</i>	6.00	0.50	1	0	0	1	0	1	0	0	6.40	0	1	1
<i>Cataglyphis velox</i>	8.30	0.90	1	0	0	1	0	1	0	0	6.62	0.5	0.5	0
<i>Formica aquilonia</i>	6.60	0.76	0	1	0	0.5	0.5	0	0	1	12.90	1	1	0
<i>Formica cinerea</i>	5.30	0.66	0	1	0	0.5	0.5	0	0	1	8.52	0.5	1	0
<i>Formica clara</i>	6.50	0.46	1	1	0	0.5	0.5	0	1	0	8.52	0	0	1
<i>Formica cunicularia</i>	5.30	0.47	1	0	0	0.5	0.5	0	1	0	7.24	0	0.5	1
<i>Formica decipiens</i>	5.60	0.41	1	0	0	0.5	0.5	0	1	0	7.13	0	0	1
<i>Formica fusca</i>	5.00	0.60	1	0	0	0.5	0.5	0	1	0	9.10	1	1	1
<i>Formica gagates</i>	5.00	0.60	1	0	0	0.5	0.5	0	1	0	6.21	0	0	1
<i>Formica gerardi</i>	5.50	0.36	1	0	0	0.5	0.5	0	1	0	7.13	0	0	1
<i>Formica lemani</i>	5.50	0.38	1	0	0	0.5	0.5	0	1	0	7.47	0	0	1
<i>Formica lugubris</i>	6.50	0.77	0	1	0	0.5	0.5	0	0	1	10.60	1	1	0.5
<i>Formica lusatica</i>	6.50	0.46	1	1	0	0.5	0.5	0	1	0	8.52	0	0	1
<i>Formica nigricans</i>	6.50	0.77	0	1	0	0.5	0.5	0	0	1	11.00	1	1	0
<i>Formica polycтена</i>	6.50	0.77	0	1	0	0.5	0.5	0	0	1	13.02	1	1	0
<i>Formica pratensis</i>	6.50	0.77	0	1	0	0.5	0.5	0	0	1	11.00	1	1	0
<i>Formica rufa</i>	6.50	0.77	0	1	0	0.5	0.5	0	0	1	9.21	1	1	0
<i>Formica rufibarbis</i>	6.00	0.50	1	0	0	0.5	0.5	0	1	0	6.91	0	0	1
<i>Formica sanguinea</i>	7.50	0.40	1	1	0	0.5	0.5	0	0	1	9.21	0.5	0	0.5
<i>Formica subrufa</i>	4.90	0.29	1	0	0	0.75	0.25	0	1	0	6.55	0	0	1
<i>Formica transcaucasica</i>	3.90	0.62	0	0	0	0.5	0.5	0	1	0	7.60	0	1	0
<i>Formica truncorum</i>	6.30	0.87	0	1	0	0.5	0.5	0	0	1	9.21	1	1	0
<i>Formica uralensis</i>	6.30	0.40	0	0	0	0.5	0.5	0	0	1		1	1	0
<i>Lasius alienus</i>	2.80	0.50	0	1	0	0.25	0.75	0	0	1	9.47	0	0	1
<i>Lasius balcanicus</i>	5.50	0.36	0		0	0.25	0.75	0	0	1	9.90	0	0	1
<i>Lasius brunneus</i>	2.90	0.62	0	0	0	0.25	0.75	0	0	1	9.21	0	0	1
<i>Lasius cinereus</i>	3.30	0.45	0	1	0	0	1	0	0	1	9.21	0	0	1

<i>Lasius emarginatus</i>	3.20	0.47	0	1	0	0.25	0.75	0	0	1	9.21	0	0	1
<i>Lasius flavus</i>	2.90	0.79	0	0	0	0.25	0.75	0	0	1	9.21	0.5	0	1
<i>Lasius fuliginosus</i>	4.00	0.50	0	1	0	0.25	0.75	0	0	1	14.73	0	0	0
<i>Lasius grandis</i>	3.50	0.57	0	1	0	0.25	0.75	0	0	1	9.21	0	0	1
<i>Lasius lasioides</i>	2.80	0.50	0	1	0	0.25	0.75	0	0	1	9.47	0	0	1
<i>Lasius myops</i>	2.90	0.79	0	0	0	0	1	0	0	1	8.52	0	0	1
<i>Lasius niger</i>	3.00	0.67	0	1	0	0.25	0.75	0	0	1	9.21	0	0	1
<i>Lasius paralienus</i>	4.50	0.44	0	1	0	0.25	0.75	0	0	1	9.21	0	0	1
<i>Lasius psammophilus</i>	3.40	0.59	0	0	0	0.25	0.75	0	0	1	10.43	0	1	1
<i>Plagiolepis pygmaea</i>	1.60	0.50	0	0	0	0	1	0	1	0	6.68	1	0.5	0
<i>Plagiolepis schmitzii</i>	2.10	0.48	1	0	0	0	1	0	1	0	6.68	1	0.5	0
<i>Proformica ferreri</i>	4.50	0.73	1	0	0	1	0	1	0	0	6.48	0	0	
<i>Proformica nasuta</i>	5.00	1.00	1	0	0	1	0	1	0	0	6.48	0	0	
Dolichoderinae														
<i>Dolichoderus quadripunctatus</i>	3.50	0.29	0	0	0	0.5	0.5	0	0	1	6.11	0	1	0
<i>Linepithema humile</i>	2.30	0.22	0	1	0	0.25	0.75	0	0	1	11.92	1	1	0
<i>Liometopum microcephalum</i>	5.00	0.80	0	1	0	0.75	0.25	0	0	1	8.52	0	0	1
<i>Tapinoma erraticum</i>	2.80	0.54	0	1	0	0	1	0	0	1	8.16	1	1	0
<i>Tapinoma nigerrimum</i>	4.00	0.58	0	1	0	0	1	0	0	1	8.85	1	1	0
<i>Tapinoma simrothi</i>	3.20	0.44	0	1	0	0	1	0	0	1	8.85	1	1	0
Myrmicinae														
<i>Aphaenogaster dulcinea</i>	6.00	0.33	0	0	0.5	0.5	0	0	1	0	6.48	0	0	
<i>Aphaenogaster gibbosa</i>	4.90	0.41	1	0	0.5	0.5	0	0	1	0	6.48	0	0	1
<i>Aphaenogaster iberica</i>	6.40	0.19	1	0	0.5	0.5	0	0	1	0	6.25	0	0	0
<i>Aphaenogaster cardenai</i>	6.70	0.10	0	0	0.5	0.5	0	0	1	0	8.01	0	0	1
<i>Aphaenogaster senilis</i>	7.00	0.14	1	0	0.5	0.5	0	0	1	0	6.48	0	0	0
<i>Aphaenogaster subterranea</i>	3.80	0.45	0	0	0.5	0.5	0	0	1	0	7.60	0	0	1
<i>Cardiocondyla batesii</i>	2.10	0.24	0	0	0	0.75	0.25	0	1	0	4.79	0	0	1
<i>Cardiocondyla mauritanica</i>	2.00	0.20	0	0	0	0.75	0.25	0	1	0	5.01	1	0	0
<i>Crematogaster auberti</i>	3.40	0.35	0	1	0	0	1	0	1	0	6.48	0	0	0
<i>Crematogaster scutellaris</i>	4.05	0.57	0	1	0	0.5	0.5	0	0	1	6.62	0.5	0.5	1
<i>Crematogaster sordidula</i>	2.45	0.37	0	1	0	0	1	0	1	0	6.62	0	0	1
<i>Gonionmma baeticum</i>	4.10	0.24	0	0	1	0	0	1	0	0	5.86	0	0	1
<i>Gonionmma blanci</i>	3.50	0.29	0	0	1	0	0	1	0	0	5.86	0	0	1
<i>Gonionmma collingwoodi</i>	3.65	0.08	0	0	1	0	0	1	0	0	5.86	0	0	1
<i>Gonionmma hispanicum</i>	3.90	0.21	0	0	1	0	0	1	0	0	5.86	0	0	1
<i>Gonionmma kugleri</i>	3.10	0.19	0	0	1	0	0	1	0	0	5.89	0	0	1
<i>Gonionmma thoracicum</i>	3.90	0.21	0	0	1	0	0	1	0	0	5.86	0	0	1
<i>Leptothorax acervorum</i>	3.60	0.17	0	0	0	0.5	0.5	0	1	0	7.60	1	0	0
<i>Leptothorax gredleri</i>	3.20	0.16	0	0	0	0.5	0.5	0	1	0	3.91	0	0	0.5
<i>Leptothorax muscorum</i>	2.90	0.55	0	0	0	0.5	0.5	0	1	0	5.70	1	0	0
<i>Manica rubida</i>	7.00	0.71	1	0	0	1	0	0	0	1	8.16	0.5	0	1
<i>Messor barbarus</i>	7.90	1.04	0	1	1	0	0	0	0	1	8.99	0	0	1
<i>Messor celiae</i>	7.90	1.04	0	1	1	0	0	0	0	1	8.99	0	0	1
<i>Messor bouvieri</i>	6.30	0.71	1	0	1	0	0	0	0	1	8.16	0	0	1
<i>Messor maroccanus</i>	6.30	0.71	1	0	1	0	0	0	0	1	8.16	0	0	1
<i>Messor capitatus</i>	8.40	1.07	0	1	1	0	0	0	1	0	8.29	0	0	1
<i>Messor hispanicus</i>	7.90	1.04	0	1	1	0	0	0	0	1	8.99	0	0	1
<i>Messor lusitanicus</i>	6.50	0.54	1	0	1	0	0	0	0	1	8.16	0	0	1
<i>Messor structor</i>	6.80	0.81	0	1	1	0	0	0	0	1	8.29	1	0	0
<i>Monomorium salomonis</i>	3.05	0.36	0	1	0.25	0.75	0	0	0	1	8.01	1	1	0
<i>Myrmecina graminicola</i>	3.05	0.36	0	0	0	0.75	0.25	1	0	0	4.61	0.5	0	0

<i>Myrmica aloba</i>	4.50	0.22	0	0	0	0.5	0.5	0	0	1	7.60	0	0	0.5
<i>Myrmica hellenica</i>			0	0	0	0.5	0.5	0	0	1	7.38	0.5	0	0.5
<i>Myrmica lobulicornis</i>	3.75	0.27	0	0	0	0.5	0.5	0	0	1	7.31	1	0	0.5
<i>Myrmica lonae</i>	4.40	0.14	0	0	0	0.5	0.5	0	0	1	8.01	1	0	0.5
<i>Myrmica rubra</i>	4.00	0.25	0		0	0.5	0.5	0	0	1	8.01	1	1	0.5
<i>Myrmica ruginodis</i>	4.75	0.11	0	0	0	0.5	0.5	0	0	1	7.60	0.5	0	0.5
<i>Myrmica rugulosa</i>	4.00	0.25	0	0	0	0.5	0.5	0	0	1	7.60	1	1	0.5
<i>Myrmica sabuleti</i>	4.40	0.14	0	0	0	0.5	0.5	0	0	1	8.01	1	0	0.5
<i>Myrmica scabrinodis</i>	4.25	0.24	0	0	0	0.5	0.5	0	0	1	7.31	0.5	0	0.5
<i>Myrmica schencki</i>	4.15	0.51	0	0	0	0.5	0.5	0	0	1	6.91	0.5	0	0.5
<i>Myrmica specioides</i>	5.60	0.18	0	0	0	0.5	0.5	0	0	1	7.31	1	0	0.5
<i>Myrmica spinosior</i>	4.40	0.14	0	0	0	0.5	0.5	0	0	1	8.01	1	0	0.5
<i>Myrmica sulcinodis</i>	4.75	0.32	0	0	0	0.5	0.5	0	0	1	6.68	0	0.5	0.5
<i>Myrmica wesmaeli</i>	3.80	0.26	0	0	0	0.5	0.5	0	0	1	7.31	1	0	0.5
<i>Oxyopomyrmex saulcyi</i>	2.00	0.20	0	0	1	0	0	1	0	0	4.61	0	0	1
<i>Pheidole pallidula</i>	3.20	1.03	0	1	0.25	0.75	0	0	0	1	8.52	0.5	0	0.5
<i>Stenamma orousetti</i>	3.30	0.18	0	0	0	1	0	1	0	0	4.61	0	0	1
<i>Stenamma westwoodi</i>	3.30	0.18	0	0	0	1	0	1	0	0	4.61	0	0	1
<i>Stenamma petiolatum</i>	4.50	0.13	0	0	0	1	0	1	0	0	4.61	0	0	1
<i>Temnothorax angustulus</i>	2.80	0.21	0	0	0	0.5	0.5	0	1	0	3.91	0	0	1
<i>Temnothorax caesari</i>	2.20	0.18	0	0	0	0.5	0.5	0	1	0	4.61	0	0	
<i>Temnothorax clypeatus</i>	3.00	0.33	0	0	0	0.5	0.5	0	1	0	4.61	0	0	1
<i>Temnothorax crassispinus</i>	2.90	0.41	0	0	0	0.5	0.5	0	1	0	4.61	0	0	0.5
<i>Temnothorax exilis</i>	2.60	0.46	0	0	0	0.5	0.5	0	1	0	3.91	0	0	1
<i>Temnothorax fuentei</i>	4.15	0.07	0	0	0	0.5	0.5	0	1	0	3.91	0	0	1
<i>Temnothorax gredosi</i>	2.50	0.32	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax grouvellei</i>	2.85	0.46	0	0	0	0.5	0.5	0	1	0	4.61	0	0	1
<i>Temnothorax interruptus</i>	2.30	0.52	0	0	0	0.5	0.5	0	1	0	5.01	1	0	0
<i>Temnothorax krausseii</i>	2.80	0.21	0	0	0	0.5	0.5	0	1	0	3.91	0	0	1
<i>Temnothorax lichtensteini</i>	2.60	0.08	0	0	0	0.5	0.5	0	1	0	5.30	0	0	1
<i>Temnothorax luteus</i>	2.40	0.25	0	0	0	0.5	0.5	0	1	0		0	0	1
<i>Temnothorax niger</i>	2.65	0.34	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax nigriceps</i>	2.65	0.26	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax nylanderi</i>	2.65	0.30	0	0	0	0.5	0.5	0	1	0	5.70	0	0	1
<i>Temnothorax pardoi</i>	2.50	0.08	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax parvulus</i>	2.45	0.12	1	0	0	0.5	0.5	0	1	0	6.40	0	0	1
<i>Temnothorax rabaudi</i>	2.70	0.22	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax racovitzai</i>	2.55	0.12	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax recedens</i>	2.70	0.30	1	0	0	0.5	0.5	0	1	0	5.01	0	0	0
<i>Temnothorax specularis</i>	2.35	0.13	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax tristis</i>	2.50	0.40	0	0	0	0.5	0.5	0	1	0	5.01	1	0	1
<i>Temnothorax tubereum</i>	2.85	0.39	0	0	0	0.5	0.5	0	1	0	5.30	0	0.5	1
<i>Temnothorax thyndalei</i>	2.65	0.19	0	0	0	0.5	0.5	0	1	0	5.01	0	0	1
<i>Temnothorax unifasciatus</i>	2.50	0.40	0	0	0	0.5	0.5	0	1	0	5.78	0	0	1
<i>Tetramorium caespitum</i>	2.90	0.41	0	1	0.25	0.75	0	0	0	1	9.21	0	0	1
<i>Tetramorium impurum</i>	2.90	0.41	0	1	0.25	0.75	0	0	0	1	9.21	0	0	1
<i>Tetramorium forte</i>	3.75	0.51	0	1	0.25	0.5	0.25	0	0	1	9.21	0	0	1
<i>Tetramorium hispanicum</i>	3.75	0.51	0	1	0.25	0.5	0.25	0	0	1	9.21	0	0	1
<i>Tetramorium ruginode</i>	3.75	0.51	0	1	0.25	0.5	0.25	0	0	1	9.21	0	0	1
<i>Tetramorium semilaeve</i>	3.60	0.33	0	1	0.25	0.75	0	0	0	1	9.21	1	0	1
<i>Tetramorium punicum</i>	3.60	0.33	0	1	0.25	0.75	0	0	0	1	9.21	1	0	1

Ponerinae

<i>Hypoponera eduardi</i>	2.85	0.18	0	0	0	1	0	0	1	0	7.31	1	0	1
<i>Hypoponera punctatissima</i>	3.15	0.16	0	0	0	1	0	0	1	0	5.01	1	1	0.5
<i>Ponera coarctata</i>	2.95	0.31	0	0	0	1	0	0	1	0	4.61	1	0	0
Pseudomyrmicinae														
<i>Tetraponera allaborans</i>				0	0	0.75	0.25				6.62	0	0	0.5
Leptanillinae														
<i>Leptanilla revelieri</i>	1.15	0.09	0	0	0	1	0	0	1	0	5.70	0	0	0