

Sup 5 (a): Species strength of *S. teitensis* pollinators visiting other wild flowers

<b>S/N</b>	<b>Species</b>	<b>Species strength</b>
1.	<i>Anthophora conspicua</i>	6.88
2.	<i>Anthophora piligera</i>	0.50
3.	<i>Anthophora torrida</i>	2.04
4.	<i>Apis mellifera</i>	0.58
5.	<i>Cathimeris sp</i>	0.36
6.	<i>Ceratina sp</i>	0.75
7.	<i>Congomochtherus sp</i>	0.92
8.	<i>Eumenes sp</i>	0.36
9.	<i>Geron sp</i>	0.45
10.	<i>Helina coniformis</i>	0.89
11.	<i>Liris sp</i>	0.61
12.	<i>Megachile cincta</i>	0.68
13.	<i>Megachile felina</i>	0.50
14.	<i>Megachile sp</i>	0.58
15.	<i>Phytomia incisa</i>	0.58
16.	<i>Rhingia trivittata</i>	1.62
17.	<i>Synagris analis</i>	1.65
18.	<i>Xylocopa flavorufa</i>	0.75
19.	<i>Xylocopa hottentota</i>	1.08
20.	<i>Xylocopa nigrita</i>	0.20

Sup 5 (b): Species strength of top four *S. teitensis* pollinators visiting other wild flowers

<b>S/N</b>	<b>Species</b>	<b>Species strength</b>
1.	<i>Anthophora conspicua</i>	10.07
2.	<i>Anthophora torrida</i>	3.12
3.	<i>Rhingia trivittata</i>	3.7
4.	<i>Synagris analis</i>	3.12