Variable Name	Description	Values
Group1	Randomization assignment	0 = Care as usual
Groups		1 = SPIN-HAND Program
Consent1	Consent to treatment	0 = No
Consent		1 = Yes
Gender1	Sex	0 = male
Genderr	Dex	1 = female
Age1	Age in years	Continuous
Country1	Country of enrollment	1 = Canada
Country I	country of enforment	2 = United States
		3 = United Kingdom
Education	Years of education	Continuous
Ethnicity_Combined1	Race/ethnicity	1 = White
Eunieity_Comonicat	Race/ cullienty	2 = Black
		3 = Other
Marital	Marital status	1 = Married
Iviantai	Walital Status	2 = Common Law
		3 = Separated/divorced
		4 = Widowed
		5 = Single
Mrss1	Modified Rodnan Skin Score	Continuous
Smalljoints1	Small joints contractures	1 = Negative
Smanjointsi	Sman joints contractures	2 = Positive
Largejoints1	Large joint contractures	1 = Negative
Largejonnisi	Large joint contractures	2 = Positive
Subtype1	Disease subtype	0 = Limited subtype
Subtype1	Disease subtype	1 = Diffuse subtype
Tendon1	Tendon friction rubs	0 = Negative
rendonii	Tendon medon rubs	1 = Positive
Timediagnosis1	Time since diagnosis in years	Continuous
Timenonray1	Time since onset first non-	Continuous
ThileholingT	Raynaud's symptom or sign in	Continuous
	years	
Timeray1	Time since onset Raynaud's in	Continuous
	years	
Cochintotal1	Cochin Hand Function Scale at	Continuous
	baseline	
Cochintotal2	Cochin Hand Function Scale at 3	Continuous
	months	
Prfuntot1	PROMIS-29 Physical Function	Continuous
	T-score at baseline	
Prfuntot2	PROMIS-29 Physical Function	Continuous
1 11011012	T-score at 3 months	
Prfatiguetot1	PROMIS-29 Fatigue T-score at	Continuous
	baseline	
Prfatiguetot2	PROMIS-29 Fatigue T-score at 3	Continuous
	months	

Prdeptot1	PROMIS-29 Depression T-score at baseline	Continuous
Prdeptot2	PROMIS-29 Depression T-score at 3 months	Continuous
Pranxtot1	PROMIS-29 Anxiety T-score at baseline	Continuous
Pranxtot2	PROMIS-29 Anxiety T-score at 3 months	Continuous
Prpaintot1	PROMIS-29 Pain Interference T- score at baseline	Continuous
Prpaintot2	PROMIS-29 Pain Interference T- score at 3 months	Continuous
Prrolestot1	PROMIS-29 Social Roles T- score at baseline	Continuous
Prrolestot2	PROMIS-29 Social Roles T- score at 3 months	Continuous
Prsleeptot1	PROMIS-29 Sleep T-score at baseline	Continuous
Prsleeptot2	PROMIS-29 Sleep T-score at 3 months	Continuous
Promis291	PROMIS-29 Pain intensity at baseline	Continuous
Promis292	PROMIS-29 Pain intensity at 3 months	Continuous
Mobility1	EQ-5D Mobility at baseline	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Mobility2	EQ-5D Mobility at 3 months	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Selfcare1	EQ-5D Self-care at baseline	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Selfcare2	EQ-5D Self-care at 3 months	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Activities1	EQ-5D Usual Activity at baseline	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems)

		5 = level 5 (extreme problems)
Activities2	EQ-5D Usual Activity at 3 months	1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Pain1	EQ-5D Pain/discomfort at baseline	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Pain2	EQ-5D Pain/discomfort at 3 months	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Anxiety1	EQ-5D Anxiety/depression at baseline	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Anxiety2	EQ-5D Anxiety/depression at 3 months	 1 = level 1 (no problems) 2 = level 2 (slight problems) 3 = level 3 (moderate problems) 4 = level 4 (severe problems) 5 = level 5 (extreme problems)
Health1	EQ-5D visual analogue scale at baseline	Continuous
Health2	EQ-5D visual analogue scale at 3 months	Continuous