



Product Name	[Product Name]
Part Name	[Part Name]
Part Number	[Part Number]
Department	[Department]
Inspector	[Inspector]
Date	Jul 20, 2023
Unit	mm



Disclaimer

The results of this analysis and forecastings are believed to be reliable but are not to be construed as providing a warranty, including any warranty of merchantability or fitness for purpose, or representation for which 3D Systems, Inc. assumes legal responsibility. Users should undertake sufficient verification and iterative testing to determine the suitability of any information presented.

Nothing herein is to be taken as permission, inducement or recommendation by 3D Systems, Inc. to practice any patented invention without a license or to in any way infringe upon the intellectual property rights of any other party.

结果数据 - 1 : 参考数据 - 初始

Results data-1:Reference data-Initial



Product Name	[Product Name]
--------------	----------------



Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Part Name	[Part Name]
-----------	-------------

结果数据 - 1 : 测试数据 - 清水5



Results data-1:Test Data-Water5



Product Name	[Product Name]	Department	[Department]	Date	Jul 20, 2023
Part Name	[Part Name]	Inspector	[Inspector]	Unit	mm

结果数据 - 1 : 初始对齐1

Results data-1:Initial alignment1



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐1

Results data-1:Best-fit alignment1



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 初始对齐2

Results data-1:Initial alignment2



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐2

Results data-1:Best-fit alignment2



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 初始对齐3

Results data-1:Initial alignment3



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐3

Results data-1:Best-fit alignment3



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 初始对齐4

Results data-1:Initial alignment4



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐4

Results data-1:Best-fit alignment4



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 初始对齐5

Results data-1:Initial alignment5



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐5

Results data-1:Best-fit alignment5



Minimum	-0.0904
Maximum	0.0903
Average	0.0073
RMS	0.0353
Standard deviation	0.0345
Dispersion	0.0012
+Average	0.0308
-Average	-0.0259




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

结果数据 - 1 : 3D 比较清水1

Results data-1:3D compare water1



Minimum	-2.4678
Maximum	2.4689
Average	0.1092
RMS	0.4923
Standard deviation	0.48
Dispersion	0.2304
+Average	0.3643
-Average	-0.2261
Within Tolerance.(%)	29.0718
Out Of Tolerance(%)	70.9282
Above Tolerance(%)	42.0011
Below Tolerance(%)	28.9271

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water1	-2.4678	2.4689	0.1092	0.4923	0.48	0.2304	0.3643	-0.2261




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 18, 2023
Unit	mm

结果数据 - 1 : 3D 比较清水2

Results data-1:3D compare water2



Minimum	-1.8061
Maximum	1.8059
Average	0.0232
RMS	0.3222
Standard deviation	0.3214
Dispersion	0.1033
+Average	0.1272
-Average	-0.1651
Within Tolerance.(%)	79.9861
Out Of Tolerance(%)	20.0139
Above Tolerance(%)	13.5069
Below Tolerance(%)	6.507

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water2	-1.8061	1.8059	0.0232	0.3222	0.3214	0.1033	0.1272	-0.1651




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 18, 2023
Unit	mm

结果数据 - 1 : 3D 比较清水3

Results data-1:3D compare water3



Minimum	-2.0611
Maximum	2.061
Average	-0.0084
RMS	0.3355
Standard deviation	0.3354
Dispersion	0.1125
+Average	0.0992
-Average	-0.2121
Within Tolerance.(%)	80.9613
Out Of Tolerance(%)	19.0387
Above Tolerance(%)	11.8428
Below Tolerance(%)	7.1959

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water3	-2.0611	2.061	-0.0084	0.3355	0.3354	0.1125	0.0992	-0.2121




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 18, 2023
Unit	mm

结果数据 - 1 : 3D 比较清水4

Results data-1:3D compare water4



Minimum	-2.0608
Maximum	2.0608
Average	-0.011
RMS	0.3585
Standard deviation	0.3583
Dispersion	0.1284
+Average	0.1067
-Average	-0.2473
Within Tolerance(%)	77.8095
Out Of Tolerance(%)	22.1905
Above Tolerance(%)	13.5483
Below Tolerance(%)	8.6422

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water4	-2.0608	2.0608	-0.011	0.3585	0.3583	0.1284	0.1067	-0.2473




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 18, 2023
Unit	mm

结果数据 - 1 : 3D 比较清水5

Results data-1:3D compare water5



Minimum	-1.9891
Maximum	1.9891
Average	0.031
RMS	0.3734
Standard deviation	0.3722
Dispersion	0.1385
+Average	0.1525
-Average	-0.1715
Within Tolerance.(%)	77.9644
Out Of Tolerance(%)	22.0356
Above Tolerance(%)	15.7522
Below Tolerance(%)	6.2834

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 20, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water5	-1.9891	1.9891	0.031	0.3734	0.3722	0.1385	0.1525	-0.1715



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 18, 2023
Unit	mm

结果数据 - 1 : 参考数据 - 初始

Results data-1:Reference data-Initial




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 测试数据 - 水10

Results data-1: Test Data-water10





Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 初始对齐1

Results data-1:Initial alignment1



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐1

Results data-1:Best-fit alignment1



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 初始对齐2

Results data-1:Initial alignment2



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐2

Results data-1:Best-fit alignment2



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 初始对齐3

Results data-1:Initial alignment3



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐3

Results data-1:Best-fit alignment3



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 初始对齐4

Results data-1:Initial alignment4



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐4

Results data-1:Best-fit alignment4



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 初始对齐5

Results data-1:Initial alignment5



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐5

Results data-1:Best-fit alignment5



Minimum	-0.1786
Maximum	0.1801
Average	0.0324
RMS	0.0689
Standard deviation	0.0608
Dispersion	0.0037
+Average	0.0653
-Average	-0.0344




Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 3D 比较水6

Results data-1:3D compare water6



Minimum	-1.7939
Maximum	1.7936
Average	0.0692
RMS	0.3185
Standard deviation	0.3108
Dispersion	0.0966
+Average	0.1548
-Average	-0.1484
Within Tolerance(%)	69.2329
Out Of Tolerance(%)	30.7671
Above Tolerance(%)	26.4009
Below Tolerance(%)	4.3662

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water6	-1.7939	1.7936	0.0692	0.3185	0.3108	0.0966	0.1548	-0.1484

Product Name	[Product Name]
--------------	----------------




Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Part Name	[Part Name]
-----------	-------------

结果数据 - 1 : 3D 比较水7

Results data-1:3D compare water7



Minimum	-1.147
Maximum	1.147
Average	0.0324
RMS	0.1713
Standard deviation	0.1682
Dispersion	0.0283
+Average	0.0856
-Average	-0.0854
Within Tolerance(%)	83.6253
Out Of Tolerance(%)	16.3747
Above Tolerance(%)	12.8929
Below Tolerance(%)	3.4818

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water7	-1.147	1.147	0.0324	0.1713	0.1682	0.0283	0.0856	-0.0854

Product Name	[Product Name]
--------------	----------------




Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Part Name	[Part Name]
-----------	-------------

结果数据 - 1 : 3D 比较水8

Results data-1:3D compare water8



Minimum	-1.2846
Maximum	1.2846
Average	0.0402
RMS	0.2029
Standard deviation	0.1989
Dispersion	0.0396
+Average	0.102
-Average	-0.1024
Within Tolerance(%)	78.4314
Out Of Tolerance(%)	21.5686
Above Tolerance(%)	17.4161
Below Tolerance(%)	4.1525

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water8	-1.2846	1.2846	0.0402	0.2029	0.1989	0.0396	0.102	-0.1024

Product Name	[Product Name]
--------------	----------------




Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Part Name	[Part Name]
-----------	-------------

结果数据 - 1 : 3D 比较水9

Results data-1:3D compare water9



Minimum	-2.3606
Maximum	2.3607
Average	0.0358
RMS	0.4206
Standard deviation	0.419
Dispersion	0.1756
+Average	0.1488
-Average	-0.2124
Within Tolerance(%)	80.3679
Out Of Tolerance(%)	19.6321
Above Tolerance(%)	13.3229
Below Tolerance(%)	6.3092

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water9	-2.3606	2.3607	0.0358	0.4206	0.419	0.1756	0.1488	-0.2124

Product Name	[Product Name]
--------------	----------------




Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Part Name	[Part Name]
-----------	-------------

结果数据 - 1 : 3D 比较水10

Results data-1:3D compare water10



Minimum	-3.2542
Maximum	3.2541
Average	0.1314
RMS	0.7158
Standard deviation	0.7036
Dispersion	0.4951
+Average	0.3397
-Average	-0.3368
Within Tolerance(%)	60.9039
Out Of Tolerance(%)	39.0961
Above Tolerance(%)	32.3599
Below Tolerance(%)	6.7362

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water10	-3.2542	3.2541	0.1314	0.7158	0.7036	0.4951	0.3397	-0.3368



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 25, 2023
Unit	mm

结果数据 - 1 : 参考数据 - 参考

Results data-1:Reference data-Initial





Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 测试数据 - 水15

Results data-1:Test data- water15





Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 初始对齐1

Results data-1:Initial alignment1



Minimum	-0.1308
Maximum	0.1308
Average	0.0198
RMS	0.0524
Standard deviation	0.0485
Dispersion	0.0024
+Average	0.0489
-Average	-0.0339



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐1

Results data-1:Best-fit alignment1



Minimum	-0.1308
Maximum	0.1308
Average	0.0198
RMS	0.0524
Standard deviation	0.0485
Dispersion	0.0024
+Average	0.0489
-Average	-0.0339



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 初始对齐2

Results data-1:Initial alignment2



Minimum	-0.1308
Maximum	0.1308
Average	0.0198
RMS	0.0524
Standard deviation	0.0485
Dispersion	0.0024
+Average	0.0489
-Average	-0.0339



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 最佳拟合对齐2

Results data-1:Best-fit alignment2






Minimum	-0.1308
Maximum	0.1308
Average	0.0198
RMS	0.0524
Standard deviation	0.0485
Dispersion	0.0024
+Average	0.0489
-Average	-0.0339

Product Name	[Product Name]	Department	[Department]	Date	Jul 26, 2023
Part Name	[Part Name]	Inspector	[Inspector]	Unit	mm

结果数据 - 1 : 3D 比较水11

Results data-1:3D compare water11



Minimum	-1.3651
Maximum	1.3651
Average	0.0495
RMS	0.2362
Standard deviation	0.231
Dispersion	0.0534
+Average	0.1162
-Average	-0.1071
Within Tolerance.(%)	79.0658
Out Of Tolerance(%)	20.9342
Above Tolerance(%)	17.1332
Below Tolerance(%)	3.8009

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water11	-1.3651	1.3651	0.0495	0.2362	0.231	0.0534	0.1162	-0.1071


Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

结果数据 - 1 : 3D 比较水12

Results data-1:3D compare water12



Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm

Name	Minimum	Maximum	Average	RMS	Standard deviation	Dispersion	+Average	-Average
3D compare water12	-1.3651	1.3651	0.0495	0.2362	0.231	0.0534	0.1162	-0.1071

Product Name	[Product Name]
Part Name	[Part Name]

Department	[Department]
Inspector	[Inspector]

Date	Jul 26, 2023
Unit	mm