

```
1 # This is the only function that aligners need to implement.
2 # Parameters:
3 # $1: a temporary filename
4 # $2: the basename that should be used to store the sorted alignment
5
6 function plugin_align {
7     #sample parameters reading
8     OUTPUT=$1
9     BASENAME=$2
10    #invoke the model through the script generated by the GobyWeb language
11    . ${JOB_DIR}/run_model.sh plugin_align ${OUTPUT} ${BASENAME}
12 }
13
14
```

```
1
2 export MPS_HOME=${RESOURCES_ARTIFACTS_MPS_DISTRIBUTION}
3 MPS_LIBS=`cat ${RESOURCES_MPS_JARS_LIST} | awk '{ORS=":"; print $1}'`
4 NYOSH_SUPPORT_LIBS="${RESOURCES_ARTIFACTS_MPS_SUPPORT_LIBS}/*"
5 CLASSPATH=${MPS_LIBS}:${NYOSH_SUPPORT_LIBS}:${JOB_DIR}/plugin.jar:${JOB_DIR}
6 MODEL=BWAGobyArtifactPlugin
7 NYOSH_SCRIPTNAME=BWAGobyArtifactScript
8 CLASSNAME=${MODEL}.${NYOSH_SCRIPTNAME}
9 java ${PLUGIN_NEED_DEFAULT_JVM_OPTIONS} -classpath ${CLASSPATH} ${CLASSNAME} "$
  @"
10
11
```

```
1 package BWAGobyArtifactPlugin;
2
3 /*Generated by MPS */
4
5 import org.campagnelab.nyosh.logging.StepsLoggerHelper;
6
7 public class ErrorManagementImplementation {
8     public void recordStepDone(String actionDescription) {
9         StepsLoggingSuccessHandler_ym50rj_(actionDescription);
10    }
11
12
13     public void exception(String actionDescription, int statusCode, Exception exception) {
14         StepsLoggingErrorHandler_kysnd9_(actionDescription, statusCode, exception);
15    }
16
17     public static void StepsLoggingErrorHandler_kysnd9_(String actionDescription, int statusCode, Excepti
18 on exception) {
19         StepsLoggerHelper.createLogFile();
20         StepsLoggerHelper.assertTrue(false, "A step failed");
21    }
22
23     public static void StepsLoggingSuccessHandler_ym50rj_(String actionDescription) {
24         StepsLoggerHelper.createLogFile();
25         StepsLoggerHelper.done(actionDescription, 0);
26    }
27 }
28
```

```
1 package BWAGobyArtifactPlugin;
2
3 /*Generated by MPS */
4
5 import java.util.Set;
6 import java.util.HashSet;
7
8 import org.campagnelab.nyosh.environment.parsers.Parser;
9 import org.campagnelab.nyosh.environment.parsers.JVMEnvParser;
10
11 import java.util.SortedSet;
12
13 import org.campagnelab.nyosh.environment.parsers.ScriptVariable;
14 import org.campagnelab.nyosh.environment.parsers.GobyWebParser;
15 import org.campagnelab.nyosh.environment.NYoShRuntimeEnvironment;
16 import org.apache.commons.io.FilenameUtils;
17 import org.campagnelab.nyosh.environment.parsers.MapFileParser;
18 import org.campagnelab.nyosh.exec.CommandAssembler;
19 import org.campagnelab.nyosh.exec.CommandExecutionPlan;
20 import org.campagnelab.stepslogger.FileStepsLogger;
21
22 import java.io.File;
23 import java.io.IOException;
24
25 import org.apache.log4j.Logger;
26 import org.apache.log4j.LogManager;
27
28 public class BWAGobyArtifactScript {
29
30     private static Set<String> exportedVariables = new HashSet<String>();
31
32     public static void main(String[] arguments) {
33         if (arguments.length == 0) {
34             arguments = new String[]{"main"};
35         }
36
37         // BEFORE_ENTRY_POINT_EXECUTION
38
39         if ("plugin_align".equals(arguments[0])) {
40
41             if (arguments.length == 3) {
42                 align(arguments[1], arguments[2]);
43             } else {
44                 System.err.println("Invalid number of arguments");
45             }
46             finish();
47             System.exit(0);
48         }
49         System.err.printf("The entry point %s name was not recognized", arguments[0]);
50         finish();
51         System.exit(1);
52     }
53
54     public static void align(String output, String basename) {
55         {
56             initializeStepsLogging();
57             System.out.println("Executing step: " + "Catch all steps for GobyWeb");
58             boolean success_u4s4ck_a0d = false;
59             String reason_u4s4ck_a0d = "Catch all steps for GobyWeb";
60             Exception exception_a0d = null;
61             try {
62                 {
63                     Parser parser_u4s4ck_a0a0a5a0a0a0d = new JVMEnvParser();
64                     SortedSet<ScriptVariable> variables_u4s4ck_a0a0a5a0a0a0d = parser_u4s4ck_a0a0a5a0a0
a0d.parseAtRunTime();
65                     Parser parser_u4s4ck_b0a0a0f0a0a0a3 = new GobyWebParser();
```

```

66         SortedSet<ScriptVariable> variables_u4s4ck_b0a0a0f0a0a0a3 = parser_u4s4ck_b0a0a0f0a0a0a3.parseAtRunTime();
67
68         String COLOR_SPACE_OPTION = (NYoShRuntimeEnvironment.getEnvironment().getVariableValue("COLOR_SPACE").equals("true") ?
69             "-c" :
70             "");
71     );
72     String BWA_GOBY_EXEC_PATH = NYoShRuntimeEnvironment.getEnvironment().getVariableValue("RESOURCES_ARTIFACTS_BWA_WITH_GOBY_ARTIFACT_EXECUTABLE") + ;
73     String ORG = NYoShRuntimeEnvironment.getEnvironment().getVariableValue("ORGANISM").toUpperCase();
74     System.out.println("Genome reference id: " + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("GENOME_REFERENCE_ID"));
75     String[] genomeInfo = NYoShRuntimeEnvironment.getEnvironment().getVariableValue("GENOME_REFERENCE_ID").toUpperCase().split("\\.");
76     String BUILD_NUMBER = "";
77     String ENSEMBL_RELEASE = "";
78     if (genomeInfo.length == 2) {
79         BUILD_NUMBER = genomeInfo[0];
80         ENSEMBL_RELEASE = genomeInfo[1];
81     } else {
82         fail(false, "Invalid genome " + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("GENOME_REFERENCE_ID"), 1);
83     }
84     String SAMPE_SAMSE_OPTIONS =
85         NYoShRuntimeEnvironment.getEnvironment().getVariableValue("PLUGINS_ALIGNER_BWA_GOBY_ARTIFACT_NYOSH_SAMPE_SAMSE_OPTIONS");
86     String ALL_OTHER_OPTIONS =
87         NYoShRuntimeEnvironment.getEnvironment().getVariableValue("PLUGINS_ALIGNER_BWA_GOBY_ARTIFACT_NYOSH_ALL_OTHER_OPTIONS");
88     int BWA_GOBY_NUM_THREADS = 4;
89     String SAMPLE_NAME = FileUtils.getBaseName(NYoShRuntimeEnvironment.getEnvironment().getVariableValue("READS_FILE"));
90     String PLATFORM_NAME = NYoShRuntimeEnvironment.getEnvironment().getVariableValue("READS_PLATFORM");
91     String READ_GROUPS = "@RG\\tID:1\\tSM:" + SAMPLE_NAME + "\\tPL:" + PLATFORM_NAME + "\\tPU:1";
92     String INDEX_DIR_KEY = "RESOURCES_ARTIFACTS_BWA_WITH_GOBY_ARTIFACT_INDEX_" + ORG + "_" + BUILD_NUMBER + "_" + ENSEMBL_RELEASE;
93     String INDEX_DIR = NYoShRuntimeEnvironment.getEnvironment().getVariableValue(INDEX_DIR_KEY) + "/index";
94     System.out.println("Index directory is: " + INDEX_DIR);
95     System.out.println("Loading environment from: "
96         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("RESOURCES_ARTIFACTS_PROTOBUF_CPP_LIBRARIES")
97         + "/setup.sh");
98     MapFileParser parser_u4s4ck_a91a0a0a5a0a0a0d = new MapFileParser();
99     SortedSet<ScriptVariable> variables_u4s4ck_a91a0a0a5a0a0a0d =
100         parser_u4s4ck_a91a0a0a5a0a0a0d.parseAtRunTime(String.format("%s/%s",
101             NYoShRuntimeEnvironment.getEnvironment().getVariableValue("RESOURCES_ARTIFACTS_PROTOBUF_CPP_LIBRARIES"),
102             "setup.sh"));
103     for (ScriptVariable var : variables_u4s4ck_a91a0a0a5a0a0a0d) {
104         exportedVariables.add(var.name);
105     }
106     System.out.println("Loading environment from: "
107         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("RESOURCES_ARTIFACTS_GOBY_CPP_API_LIBRARIES")
108         + "/setup.sh");
109     MapFileParser parser_u4s4ck_a12a0a0a5a0a0a0d = new MapFileParser();
110     SortedSet<ScriptVariable> variables_u4s4ck_a12a0a0a5a0a0a0d =
111         parser_u4s4ck_a12a0a0a5a0a0a0d.parseAtRunTime(String.format("%s/%s",
112             NYoShRuntimeEnvironment.getEnvironment().getVariableValue("RESOURCES_ARTIFACTS_GOBY_CPP_API_LIBRARIES"),

```

```

113         "setup.sh"));
114     for (ScriptVariable var : variables_u4s4ck_a12a0a0a5a0a0a0d) {
115         exportedVariables.add(var.name);
116     }
117     String SAI_FILE_0 = String.format("%s%s-0.sai",
118         FilenameUtils.getFullPath(NYoShRuntimeEnvironment.getEnvironment().getVariable
Value("READS_FILE")), SAMPLE_NAME);
119     String SAI_FILE_1 = String.format("%s%s-1.sai",
120         FilenameUtils.getFullPath(NYoShRuntimeEnvironment.getEnvironment().getVariable
Value("READS_FILE")), SAMPLE_NAME);
121     {
122         StringBuffer commandBuffer = new StringBuffer();
123         CommandAssembler assembler = new CommandAssembler();
124         assembler.appendCommand("nice " + BWA_GOBY_EXEC_PATH
125             + " aln -w 0 -t " + BWA_GOBY_NUM_THREADS
126             + " " + COLOR_SPACE_OPTION + " -f "
127             + SAI_FILE_0 + " -l "
128             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
INPUT_READ_LENGTH")
129             + " " + ALL_OTHER_OPTIONS + " -x "
130             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
131             + " -y "
132             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
133             + " " + INDEX_DIR + " " + NYoShRuntimeEnvironment.getEnvironment().getV
ariableValue("READS_FILE"));
134         commandBuffer.append("nice " + BWA_GOBY_EXEC_PATH + " aln -w 0 -t "
135             + BWA_GOBY_NUM_THREADS + " " + COLOR_SPACE_OPTION + " -f "
136             + SAI_FILE_0 + " -l "
137             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
INPUT_READ_LENGTH")
138             + " " + ALL_OTHER_OPTIONS + " -x "
139             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
140             + " -y "
141             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
142             + " " + INDEX_DIR
143             + " "
144             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
READS_FILE"));
145         // process output according to type
146         CommandExecutionPlan plan = null;
147         lastExitCode = -1;
148         try {
149             assembler.setLocalEnvironment(exportedVariables);
150             assembler.finishAssembly();
151             plan = assembler.getCommandExecutionPlan();
152             lastExitCode = plan.run();
153         } finally {
154             if (plan == null || !(plan.executedCompletely())) {
155                 errorManagement.exception("failed executing: " + commandBuffer.toString(), 0, n
ull);
156             } else {
157                 errorManagement.recordStepDone("successfully executed: " + commandBuffer.toS
tring());
158             }
159         }
160     }
161 }
162
163 {
164     StringBuffer commandBuffer = new StringBuffer();
165     CommandAssembler assembler = new CommandAssembler();
166     assembler.appendCommand("nice " + BWA_GOBY_EXEC_PATH

```

```

167         + " aln -w 1 -t " + BWA_GOBY_NUM_THREADS
168         + " " + COLOR_SPACE_OPTION + " -f "
169         + SAI_FILE_1 + " -l "
170         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
INPUT_READ_LENGTH")
171         + " " + ALL_OTHER_OPTIONS + " -x "
172         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
173         + " -y "
174         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
175         + " " + INDEX_DIR + " "
176         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
READS_FILE"));
177     commandBuffer.append(" nice " + BWA_GOBY_EXEC_PATH
178     + " aln -w 1 -t " + BWA_GOBY_NUM_THREADS + " "
179     + COLOR_SPACE_OPTION + " -f " + SAI_FILE_1
180     + " -l "
181     + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
INPUT_READ_LENGTH")
182     + " " + ALL_OTHER_OPTIONS + " -x "
183     + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
184     + " -y "
185     + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
186     + " " + INDEX_DIR + " "
187     + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
READS_FILE"));
188     // process output according to type
189     CommandExecutionPlan plan = null;
190     lastExitCode = -1;
191     try {
192         assembler.setLocalEnvironment(exportedVariables);
193         assembler.finishAssembly();
194         plan = assembler.getCommandExecutionPlan();
195         lastExitCode = plan.run();
196     } finally {
197         if (plan == null || !(plan.executedCompletely())) {
198             errorManagement.exception(" failed executing: " + commandBuffer.toString(), 0, n
199 ull);
200         } else {
201             errorManagement.recordStepDone(" successfully executed: " + commandBuffer.toS
202 tring());
203         }
204     }
205
206     {
207         StringBuffer commandBuffer = new StringBuffer();
208         CommandAssembler assembler = new CommandAssembler();
209         assembler.appendCommand(" nice " + BWA_GOBY_EXEC_PATH + " sampe "
210         + COLOR_SPACE_OPTION + " " + SAMPE_SAMSE_OPTIONS + " -F goby
-f "
211         + output + " -x "
212         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
213         + " -y "
214         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
215         + " " + INDEX_DIR + " " + SAI_FILE_0
216         + " " + SAI_FILE_1 + " "
217         + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
READS_FILE")
218         + " -r " + READ_GROUPS);

```

```

219         commandBuffer.append("nice " + BWA_GOBY_EXEC_PATH
220             + " sampe " + COLOR_SPACE_OPTION + " "
221             + SAMPE_SAMSE_OPTIONS + " -F goby -f "
222             + output + " -x "
223             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
START_POSITION")
224             + " -y " + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
END_POSITION")
225             + " " + INDEX_DIR + " " + SAI_FILE_0 + " "
226             + SAI_FILE_1 + " "
227             + NYoShRuntimeEnvironment.getEnvironment().getVariableValue("
READS_FILE")
228             + " -r " + READ_GROUPS);
229         // process output according to type
230         CommandExecutionPlan plan = null;
231         lastExitCode = -1;
232         try {
233             assembler.setLocalEnvironment(exportedVariables);
234             assembler.finishAssembly();
235             plan = assembler.getCommandExecutionPlan();
236             lastExitCode = plan.run();
237
238         } finally {
239             if (plan == null || !(plan.executedCompletely())) {
240                 errorManagement.exception("failed executing: " + commandBuffer.toString(), 0, n
ull);
241             } else {
242                 errorManagement.recordStepDone("successfully executed: " + commandBuffer.toS
tring());
243             }
244         }
245     }
246 }
247 success_u4s4ck_a0d = true;
248 } catch (Exception e) {
249     exception_a0d = e;
250
251 } finally {
252     if (!(success_u4s4ck_a0d)) {
253         errorManagement.exception("step " + reason_u4s4ck_a0d + " failed.", 0, exception_a0d);
254     } else {
255         errorManagement.recordStepDone(reason_u4s4ck_a0d);
256     }
257
258     try {
259         // This was the last step, we need to close the stepslogger:
260         _steps.close();
261
262     } catch (Exception e) {
263         if (LOG.isInfoEnabled()) {
264             LOG.info("An error occured closing stepslogger", e);
265         }
266     }
267 }
268 }
269 // end of reduce_step
270 }
271
272 public static void finish() {
273 }
274
275 private static FileStepsLogger _steps;
276
277 // declared flag removed
278 public static void initializeStepsLogging() {
279     if (BWAGobyArtifactScript._steps == null) {

```



```
280     BWAGobyArtifactScript._steps = new FileStepsLogger(new File("./"));
281     }
282 }
283
284 public static void fail(boolean mustBeTrue, String reason) {
285     fail(mustBeTrue, reason, 1);
286 }
287
288 private static void done(String stepDescription, int statusCode) {
289     BWAGobyArtifactScript._steps.step(stepDescription, statusCode);
290 }
291
292 /*package*/
293 static void fail(boolean mustBeTrue, String reason, int statusCode) {
294     if (!(mustBeTrue)) {
295         BWAGobyArtifactScript._steps.error(reason);
296         try {
297             BWAGobyArtifactScript._steps.close();
298         } catch (IOException e) {
299             // we tried to close stepslogger. Giving up now.
300         }
301         System.exit(statusCode);
302     }
303 }
304
305 private static int lastExitCode = 0;
306 private static ErrorManagementImplementation errorManagement = new ErrorManagementImplementati
on();
307 protected static Logger LOG = LogManager.getLogger(BWAGobyArtifactScript.class);
308 }
309
```